

**Electronic digital sphygmomanometer with double cuff, with automatic measurement and automated Ankle Brachial Index (ABI) measurement
Microlife WatchBP Office ABI**



Technical specifications

Measurement method:	Oscillometric
Measurement range:	Blood pressure 30-280 mm Hg Heart rate 40-200 bpm
Batteries:	Rechargeable Battery Pack 4,8 V C4000 mAh Main Adapter DC 7,5 V - 2 A
Memory:	3 values in Screen Mode, 2 in Routine Mode, 0 in ABI mode
Cuff:	2 Standard (M) 22-32 cm 2 Large (L) 32-42 cm 1 Ankle cuff (M) 22-32 cm
Classification:	Type IIa EN 1060-1 / -3 NIBP requirements, general requirements of IEC60601-1 safety IEC60601-1-2 EMC requirements; EN1060-4, clinical trial NIBP, ANSI / AAMI SP10, NIBP requirements, FCC Part 15C
Validation:	Clinically validated and accurate (ESH International Protocol)
Display:	Interval: 0-299 mmHg Resolution: 1 mmHg Static accuracy for blood pressure: within ± 3 mmHg Static accuracy heart rate: $\pm 5\%$ of the readout value
Operating temperature:	10-40 °C
Storage temperature:	From -20 °C to + 55 °C (15-90% relative humidity)
Dimensions:	200 x 125 x 90 mm
Weight (batteries included):	Approximately 1.100 grams (batteries included)

Biotechmed

Apparecchiature Elettromedicali
Servizi di Telemedicina

Biotechmed

Via Colombera 29
21048 Solbiate Arno (Varese)
www.biotechmed.it
info@biotechmed.it